

## REGIONAL AGRICULTURAL RESEARCH STATION AMBALAVAYAL, WAYANAD - 673 593 KERALA AGRICULTURAL UNIVERSITY

Phone: 04936 260561 Phone/fax: 04936 260421, E-mail: rarsamb@kau.in / adramb@kau.in

No: D.825/14

Dated: 17.12.2021

## **RE TENDER NOTICE**

Tender Number	No: D.825/14				
Tender Cost	Rs.1400/- + GST				
EMD	Rs. (1.5 % of the quoted rate)				
Date and time for receipt of tender	31.12.2021 at 11.00am				
Last date and time for opening of tender	31.12.2021 at 11.30 am				
Designation and address of officer to whom	The Associate Director of Research				
the quotation is to be addressed	Regional Agricultural Research Station				
	Ambalavayal, Wayanad, Kerala, Pin 673593				
Location of supply/work	Ambalavayal, Wayanad, Kerala, Pin 673593				
Superscription: "Tender for supply and installation of drip irrigation system"					

Sealed competitive tenders are invited for the for supply and installation of drip irrigation system for precision farming in Block II of RARS Ambalavayal campus as specified in the schedule.

Name						
of	Supply and Installation of drip irrigation system for precision farming in Block II of RARS					
work	Ambalavayal campus					
	The work includes layout and establishment of drip irrigation system as part of					
Scope	precision farming in addition to strengthening of existing irrigation facility in block					
	II of RARS farm. The system should include all the required components like main					
of work	line, sub main line, lateral, Polytube, valves, G.T.O, end stop, fittings, accessories					
	etc including labour charge and transportation.					
Other Details						
• Mainlines, submains and laterals supply water from the control head into the fields.						
Main	Mainlines, submains are made from of ISI certified PVC and should be buried					
belo	below ground.					

- Mainline of 63 mm X 6 Kg (ISI) PVC pipe should be used
- Sub mainline of 63 mm X 4 Kg (ISI) PVC pipe should be used

- Lateral pipes are made from polyethylene hose of 16 mm diameter. These laterals are having 2.8 to 4 LPH discharge with 40 cm intervals
- 16 mm inline 40 cm spacing (2.8 to 4 LPH discharge) polytube of Jain or Netafim or other popular brands
- 63 mm ball valves Jain duty, 16 mm G.T.O's., 16 mm polytube valves, 16 mm end stops, fittings, other accessories etc provided should be of good quality and with ISI mark wherever applicable.
- The rates quoted should include all plumbing works, labour charge without trenching including transportation.
- The rates quoted should include all other charges related to setting up of the micro irrigation system including labour charges without trenching, transportation charges, taxes if any etc.

Individual components of the drip irrigation system are given below.

S.No	Description of goods
1	63 mm X 6 Kg (ISI) PVC pipe
2	63 mm X 4 Kg (ISI) PVC pipe
3	63 mm Ball valve Jain duty
4	16 mm lateral pipe
5	16 mm inline 40 cm spacing (2.8 to 4 LPH discharge) polytube of Jain or Netafim or other popular brands
6	16 mm G.T.O
7	16 mm polytube valve
8	16 mm End stop
9	Fittings and accessories
10	Transportation
11	Labour charge without trenching
12	Other items and charges if any

The acceptance of the quotations will be subject to the following Terms and conditions

1. A detailed drawing of the drip irrigation system for precision farming is attached herewith, the work must be based on this plan.

## 2. Tender form

The tender form may be downloaded from the following link in the internet <u>www.kau.in/tenders</u>

 The cost of tender form. GST and EMD will be accepted by way of separate DDs in favour of Associate Director, Regional Agricultural Research Station. Ambalavayal, Pin - 673593

- Earnest Money Deposit: An EMD(1.5% of the amount quoted ) should be remitted by separate DD drawn in favour of Associate Director, Regional Agricultural Research Station. Ambalavayal Pin – 673593
- The tender should be accompanied by an agreement in Kerala stamp paper worth Rs. 200/- (Rupees Two hundred only) in the format that can be downloaded from the website www.kau.in/tenders
- 6. The sealed cover containing the tender documents should be superscribed as "Tender for Supply and Installation of drip irrigation system for precision farming". The cover should contain the DDs for tender cost, GST, EMD and the Agreement as mentioned above
- 7. The successful tenders should execute and agreement in Kerala Stamp paper worth Rs. 200/- (Rupees Two hundred only) and furnish a security deposit of 3% of cost of the rate quoted in the form of term deposit/bank guarantee/demand draft drawn in favour of Associate Director, Regional Agricultural Research Station. Ambalavayal Pin 673593, Wayanad District payable at the State Bank of India, Kolagappara (IFSC: SBIN0070615), When directed from this office.
- 8. The rate quoted, tax and other charges if any should be separately stated.
- 9. The Associate Director has the right to accept or reject any or all of the offers without assigning any reason.
- 10. The successful Tender shall initiate the work/supply the item within one week of award and should finish the supply within one month.
- 11. If any hartal/strike/any unexpected holiday occurs on the date of opening of tender, the tender will be opened at the same time on the next working day
- 12. All the rules and regulation applicable to government tender will be applicable to this tender also.
- 13. Tenders should be submitted in the prescribed format.
- \*Enquiries if any may be mailed to <u>rarsamb@kau.in</u> or contact 04936-260421.

Sd/-Dr. K. Ajith Kumar Associate Director of Research

To: 1. Notice Board

- 2. Panchayath Office, Ambalavayal
- 3. Village Office, Ambalavayal
- 4. Krishibhavan , Ambalavayal
- 5. KAU web site (<u>www.kau.in>tenders</u>)

## Format for submission ot Technical and Financial Bid

Nam	e and Address of the firm				
	me of contact person with blile number and e-mail id				
Deta	ails of components and cost				
Sl. No	Item	Make, Model and specification	Rate	Qty	Amount
1	63 mm X 6 Kg (ISI) PVC pipe				
2	63 mm X 4 Kg (ISI) PVC pipe				
3	63 mm Ball valve Jain duty				
4	16 mm lateral pipe				
5	16 mm inline 40 cm spacing (2.8 to 4 LPH discharge) polytube of Jain or Netafim or other popular brands				
6	16 mm G.T.O				
7	16 mm polytube valve				
8	16 mm End stop				
9	Fittings and accessories				
10	Transportation				
11	Labour charge without trenching				
12	Other items & charges if any				
		Total			

Signature with name, date and official seal